

DOLITSKIY, N.I., kand. tekhn. nauk.

Standardization of steam turbine blades. Energomashinostroenie
L no.1:7 Ja '58.
(Steam turbines--Blades)

S/114/60/000/004/007/009
E194/E355

AUTHOR: Dolitskiy, N.I., Candidate of Technical Sciences

TITLE: Accurate Blanks for the Guide Vanes of Steam Turbines

PERIODICAL: Energomashinostroyeniye, 1960, No. 4,
pp. 35 - 38 and 48

TEXT: Guide-blade profiles at present differ widely in their geometry because they have been designed by different organisations working independently. Sometimes their aerodynamic shape is poor, their axial width has not been standardised and features are inferior. In any case, a great many different blanks are required. Accordingly, the TsKTI (Central Boiler Turbine Institute) has issued standards for the profiles of steam-turbine guide vanes. These standards have been worked out by a certain integration of the profiles proposed by various institutes. A high accuracy in blanks for blading and a high degree of standardisation are both important. The range of blanks

Card 1/4

S/114/60/000/004/007/009
E194/E355

Accurate Blanks for the Guide Vanes of Steam Turbines

fulfils the following three main requirements: blanks are provided for blades with the new standardised and aerodynamically-improved profiles; the range is economic as it meets the requirements of turbine manufacturers with a minimum number of blanks; the blank profiles are accurate and require the minimum of machining.

In standardising the blanks, other factors were also unified, such as: the series of values of axial width; the structure of the profiles; the outlet sections of the blanks and the skew of the outlet edge and the nominal values of the outlet edge thickness of the blanks.

An economic comparison is then made between the various methods of blade manufacture using blanks that are hot-stamped, hot-rolled and hot-pressed and cold-drawn. Curves are plotted of the cost of blanks and of machining and of the amount of metal required against the number of blades to be produced. The results show that the

Card 2/4

S/114/60/000/004/007/009
E194/E355

Accurate Blanks for the Guide Vanes of Steam Turbines

blades which cost least are those which are hot-pressed and cold-drawn. The hot-rolled blades are intermediate, and the hot-stamped blades the most expensive. If the number of blades is 500 or more not only is the machining cost of the hot-pressed and cold-drawn blade lower but so is the cost of the blanks.

The saving in labour and machining costs when using hot-pressed and drawn blades is considered at some length and the least number of blades for which it is advisable to use hot pressing and drawing is considered.

Engineer S.B. Nev has claimed that a cold-drawing equipment for making blanks for blades should not be set up unless a production run of at least 75 m is assured. It is claimed that Nev's conclusions are not well founded, mainly because in all cases machining costs are more important than metal costs. Thus, if the manufacturing costs of the blading are considered as a whole, the variant with

Card 3/4

S/114/60/000/004/007/009
E194/E355

Accurate Blanks for the Guide Vanes of Steam Turbines
hot pressing followed by cold drawing offers greater
advantages than hitherto supposed. There are 5 figures,
2 tables and 5 references: 4 Soviet and 1 non-Soviet.

✓

Card 4/4

DOLITSKIY, N.I.; FIRSOV, V.G., inzh., retsenzent

[Technical and economic indices of the manufacture of
stationary steam turbines] Tekhniko-ekonomicheskie poka-
zateli proizvodstva statcionarnykh parovykh turbin. Mo-
skva, Izd-vo "Mashinostroenie," 1964. 303 p.
(MIRA 17:8)

DOLITSKIY, V.A.

DOLITSKIY, V.A. - Sledstvennyya upravleniya (Exercises in Criminal Investigation)
A.Y. Vyshinskiy, editor, 1935.

MIS

927.640

.U5

LC

1. DOLITSKIY, V. A.
2. USSR (600)
4. Prospecting-Geophysical Methods
7. Dissemination of the results of the geophysical work in the oil-bearing provinces.
(Abstract) Izv.Glav.upr.geol.fon. No. 2 - 1947.
9. Monthly List of Russian Accessions, Library of Congress, March 1953. Unclassified.

DOLITSKIY, V. A. Cand. Geolog-Mineralog Sci

Dissertation: Geology of Tuymazy Petroleum Deposits." Moscow Order
of the Labor Red Banner Petroleum Inst. imeni Academician I. M. Gubkin
25 Feb 47

SO: Vechernyaya Moskva, Feb 1947 (Proj. #17836)

DOLITSKIY, V. A.

PA 61T54

USSR/Geology
Tectonics

Feb 1948

"Normal Cross Sections of the Devonian Deposits of
the Syzran Region," V. A. Dolitskiy, A. A. Safontsev,
G. G. Tayplenkov, 9 pp

"Neftyanoye Khonyaystvo" No 2

Normal crosscuts of Devonian deposits are made from
three structures: Zabrovskoy, Syzranskoy and Gubin-
skoy. All three structures are connected with
undulations of the axis of a single tectonic up-
heaval, northern wing of which is the Zhigulevskaya
fold.

61T54

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8

DOLITSKIY, V. A.

Dolitskiy, V. A. "On the course entitled 'Geological interpretation of geophysical surveys'", Trudy Nauk. neft. in-ta im. akad. Gubkina, Issue 3, 1943, p. 142-44.

SO: U-2888, 12 Feb. 43, (Metopis' Zhurnal 'nykh Statey, No. 2, 1940).

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8"

SOROKIN, L.V., professor; URYSON, V.O., dotsent; RYABINKIN, I.A., dotsent;
DOLITSKII, V.A., dotsent; SOROKIN, L.V., redaktor; YEVSHOV, P.R.,
vedushchiy redaktor; POLOSKA, A.S., tekhnicheskii redaktor

[A course on geophysical methods of prospecting for oil fields] Kurs
geofizicheskikh metodov razvedki neftianykh mestorozshdenii. Moskva,
Gos. nauchno-tehn. izd-vo neftianoi i gorno-toplivnoi lit-ry,
1950. 473 p.

(Prospecting--Geophysical methods)

(MLRA 9:11)

3(5) PHASE I BOOK EXPLOITATION

SOV/2302
Akademiya nauk Ukrainskoj SSR. Institut geologii poleznykh iskopayey--
Problemy migratsii nafti i formirovaniya neftyanoy i gazonovoy sko-
pliny, materialy L'vovskoy diskussii, 8-10 maya 1957 g. (Problem
of Oil Migration and the Formation of Oil and Gas Accumulations;
Materials of the Discussion Held in Lvov, May 8-10, 1957) Moscow,
Gosizdat, 1959, 422 p., 1,100 copies printed.Eds.: V. B. Portse'ev, Academician of the Ukrainian SSR Academy of
Sciences, and I. O. Brod, Professor; Exec. Ed.: P. R. Yerashov;
Tech. Ed.: A. S. Polozina, Editorial Board; I.O. Brod, Professor;
M.R. Ledeburianskiy, and V.S. Porfir'yev, Academician of the Ukrainian
Academy of Sciences.PURPOSE: This collection of articles is intended for a wide range of
geologists and research workers interested in oil problems.
CONTENTS: Articles contained in this book deal with the problems of
migration and accumulation of oil and gas. These problems were
discussed in May 1957 at L'vov State University by I. I. Franco at
a meeting organized jointly by the Institute of Geology and Miner-
alogy, Academy of Sciences of the USSR, the Department
of the L'vov Oil Exploration of the USSR, the L'vov Polytechnic Institute,
and the L'vov Geological Society. Theories on the origin of
petroleum deposits and the conditions surrounding their occurrence
are treated. There are 327 references: 232 Soviet, 60 English,
3 French, and 4 German.

TABLE OF CONTENTS:

Introduction

Opening Address by the President of the Organization Committee
of the Conference V.B. Portse'ev

3

REPORTS

Adzhary, P.P. [Tbilisi, Leningrad] Migration Processes in the
Submarine Channels of Mobile Products Formed from the Dispersed
Organic Matter in Sediments 5Bogomolov, P.P. [Tbilisi, Leningrad] The Ways of Oil Transformation
in Deposits 311Bogomolov, A.I. [Tbilisi, Leningrad] The Problem of Oil Composition
Changes Depending on the Age of the Enclosing Rocks 318Budachenko, O.A. [Laboratory uglya] The Initial Stage of Oil
Migration 322Grinberg, I.V. [Institut geologii, L'vov] Problems in Genetic
Relationship Between the Organic Kerogen and
Natural Oil 326Dolitsev, E.A. [Institut geologii, Moscow] Problems of Oil Deposit
Formation in the Devonian of the Russian Platform 333Krotova, V.A. [Tbilisi, Leningrad] Problems of Oil Deposit
Formation and Destruction 339Karapik, T.D. [Tbilisi, Uchintsevo neftekombinat] Hydrogeological Factors in the
Oil Deposits of the Dralo-Pervol's'ye Oil Deposits 350Oil Occurrence in the Tisano-Pechorskaya Province Conditions of
354 (J)

DOLITSKIY, V.A.; YAKOVLEV, B.M.

Using Logging data for studying overthrust folds in north-western Ciscausia. Izv.vys.ucheb.zav.; neft' i 'gaz no.11: 23-30 '59. (MIRA 13:4)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti im. akademika I.M.Gubkina.
(Caucasus, Northern--Folds(Geology))

DOLITSKIY, V.A.; BENENSON, V.A.

Lower Cretaceous sediments of the Kulsary area. Trudy MINKHIGP
no.25:162-184 '59. (MIRA 15:5)
(Kulsary region--Geology, Stratigraphic)

DZHUMAGULOV, A.; CHERNYSHOV, S.M.; GONCHAROV, M.A.; DOLITSKIY, V.A.

New oil pool in the middle Devonian Ardatovka beds of the
Sultangulovskiy field. Trudy MINKHIGP no.25:342-350 '59.

(MIRA 15:5)
(Sultangulovskiy region—Petroleum geology)

DOLITSKIY, V.A.; DEHUMAGULOV, A.

Terrigenous Devonian in the Krasnyi Yar oil field. Izv.vys.
ucheb.zav.; neft' i gaz 3 no.2:17-24 '60.

(MIRA 13:6)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promy-
shlennosti im. akad. I.M. Gubkina.
(Krasnyi Yar (Volga Valley)—Geology, Stratigraphic)

DOLITSEK, V.A., BENENSON, V.A.

Detailed division of lower Cretaceous sediments in the Narmun-danak and Altykul' oil fields on loggin data. Trudy MIRKHIGP no.27:168-194 '60. (MIRA 13:9)
(Caspian Lowland--Geology, Stratigraphic)

DOLITSKIY, V.A.; BENENSON, V.A.; MOVSHOVICH, E.B.

Method of stratigraphic division of Cretaceous sediments of
certain areas in Astrakhan Province, based on borehole records.
Trudy VNIGNI no.29:122-137 vol.3 '61. (MIRA 14:9)

(Boring)
(Astrakhan Province--Geology, Stratigraphic)

DOLITSKIY, V.A.; DOLITSKAYA, I.V.; MOVSHOVICH, E.B.

Oil and gas potentials of the Peschanoye area (Kalmyk A.S.S.R.).
Izv. vys. ucheb. zav.; neft' i gaz 4 no.1:9-14 '61. (MIRA 15:5)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti
imeni akademika Gubkina i Vsesoyuznyy nauchno-issledovatel'skiy
geologorazvedochnyy neftyanoy institut, Moskva.
(Kalmyk A.S.S.R.—Petroleum geology)
(Kalmyk A.S.S.R.—Gas, Natural—Geology)

DOLITSKIY, V.A.; KORCHEV, G.P.; SMIRNOV, A.V.; TOLSTOV, N.S.

Mesozoic sediments of the Korobki field in connection with
their gas potential. Izv. vys. ucheb. zav.; neft' i gaz 5
no.1:6-12 '62. (MIRA 16:11)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlen-
nosti imeni akademika I.M. Gubkina, Volgogradskiy nauchno-
issledovatel'skiy institut neftyanyoy i gazovoy promyshlen-
nosti, i Kompleksnaya ekspeditsiya Glavnogo upravleniya
geologii i okhrany nedr pri Sovete Ministrov RSFSR.

DOLITSKIY, V.A.; DUBOVSKOY, I.T.; KUCHERUK, Ye.V.; KHENVIN, T.I.

Geological maps of the horizontal shears in the region of the
Chir-Don dislocations. Izv. vys. ucheb. zav.; neft' i gas 5
no.10:11-14 '62.
(MIRA 17:8)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promysh-
lennosti imeni akademika I.M. Gubkina, Moskovskiy gosudarst-
vennyy universitet imeni Lomonosova i Nauchno-issledovatel'-
skaya laboratoriya geologicheskikh kriteriyev otsenki perspek-
tiv neftegazonosnosti Glavnogo upravleniya geologii i okhrany
nedr pri Sovete Ministrov RSFSR.

DOLITSKIY, V.A.; BENENSON, V.A.

Lower Cretaceous sediments in the southeastern part of the
Caspian syneclyse. Trudy MINKhIGP no.36:13-34 '62. (MIRA 15:6)
(Caspian Sea region--Geology, Stratigraphic)

DOLITSKIY, V.A.

Some features of the geology of salt domes in the Caspian synclise.
Izv. AN SSSR. Ser.geol. 27 no.6:49-61 Je '62. (MIRA 15:5)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti.
(Caspian Sea region-Salt domes)

DOLITSKIY, V.A.; CHEN' SEN'-TSYAN [Ch'en Sén-ch'iáng]

Modes of occurrence of sandstones in the Pashiyam horizon of
the Shkapovo oil field. Neftgaz. geol. i geofiz. no. 5:23-26
'63.
(MIRA 17:5)

1. Moskovskiy ordena Trudovogo Krasnogo Znameni institut
neftekhimicheskoy i gazovoy promyshlennosti imeni akademika
I.M.Gubkina.

DOLITSKIY, V.A.; KUCHERUK, Ye.V.

Prospects for detecting local uplifts in the Tersinka Trough.
Neftegaz.geol.i geofiz. no.9:14-17 '63. (MIRA 17:3)

I. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti
im. akademika Gubkina i Moskovskiy gosudarstvennyy universitet im.
M.V.Lomonosova.

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8

DOLITSKIY, V.A.; KUCHERUK, Yo.V.

Stratification map of the west of the Volga in Volgograd
Province. Trudy MINKHiGP no.43:272-279 '63. (MIRA 17:4)

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8"

DOLITSKIY, V.A.; KUCHERUK, Ye.V.

Using maps of seams in prospecting for oil and gas. Geol.nefti
i gaza 7 no.2:38-41 F '63. (MIRA 16:2)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlen-
nosti im. akad. Gubkina i Moskovskiy gosudarstvennyy
universitet.

(Volgograd Province--Maps--Geology)
(Saratov Province--Maps--Geology)
(Prospecting)

DOLITSKIY, V.A.; KUCHERUK, Ye.V.

Geological map of the horizontal section of the southern part
of the Don-Medveditsa dislocation. Izv. vys. ucheb. sav.; geol.
i razv. 6 no.9:141-144 S '63. (MIRA 17:10)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti
2. Moskovskiy gosudarstvennyy universitet.

DOLITSKIY, V.A.; KUCHERUK, Ye.V.; TOLSTOY, N.S.; SHEREMET'YEV, Yu.F.

Structural map of the northeastern part of Volgograd Province.
Izv.vys.ucheb.zav.; geol. i razv. 6 no.11:143-148 N '63.

(MIRA 18:2)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti im. I.M.Gubkina i Moskovskiy gosudarstvennyy universitet im. M.V.Lomonosova.

DOLITSKIY, V.A.; KUCHERUK, Ye.V.

Using detail paleogeological maps in oil and gas prospecting.
Geol. nefti i gaza 7 no.11:13-1 N '63. (MIRA 17:8)

1. Moskovskiy ordena Trudovogo Krasnogo Znameni institut
neftekhimicheskoy i gazovoy promyshlennosti im. akad. Gubkina
i Moskovskiy gosudarstvennyy universitet.

DOLITSKIY, V.A.; KUCHERUK, Ye.V.

Age of the Tersinka depression in connection with prospecting
for oil and gas in the Terrigenous Devonian. Izv. vys. ucheb.
zav.; neft' i gaz 8 no.1:3-5 '65.

(MIRA 18:2)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti
imeni akademika I.M. Gubkina.

DOLITSKIY, V.A.; KUCHERUK, Ye.V., aspirant

Methods for finding hidden uplifts in the Tarsa through.
Izv.vys.uchab.zav.; geol.i razv. 7 no.8:16-20 Ag '65.
(MIRA 18:11)
1. Moskovskiy institut neftekhmicheskoy i gazovoy promyshlennosti i Moskovskiy gosudarstvennyy universitet.

KORYAKIN, Sergey Fedorovich, dotsent, kand.ekon.nauk; BERNSTEIN, Iosif L'vovich, dotsent, kand.ekon.nauk; ELLIINSKIY, Yuriy Fedorovich, starshiy prepodavatel'; DOLITSKIY, Ya.I., prof., doktor ekon.nauk, retsenzent; CHERKESOV-TSIBIZOV, A.A., starshiy prepodavatel', retsenzent; FROLOV, A.S., dotsent, kand.tekn.nauk, retsenzent; KRUSHENKO, N.K., inzh., retsenzent; ZOLOTUKHIN, Yu.A., obshchiiy red.. V redaktsirovaniy primilem uchastiy: OGANOV, N.K., dotsent, red.; DUBCHAK, V.Kh., inzh., red.; MARTIROSOV, A.Ye., inzh., red.; KHAR'KOV, G.I., starshiy nauchnyy sotrudnik, red.; KRASHENINNIKOV, V.G., dotsent, kand.ekon.nauk, red.; OMCHTBARG, Ye.A., inzh., red.; SHCHEGOLEV, G.G., inzh., red.; PRILUTSKIY, M.A., inzh., red.; KANTOR, L.M., dotsent, kand.ekon.nauk, red.; KUZ'MIN, T.P., inzh., red.; FILIPOV, K.D., red.. KSENOFONTOVA, Ye.P., red.izd-va; TIKHO-NOVA, Ye.A., tekhn.red.

[Economics of water transportation] Ekonomika morskogo transporta. Pod obshchey red. IU.A.Zolotukhina. Moskva, Izd-vo "Morskoi transport", 1959. 391 p. (MIRA 13:3)

(Shipping--Finance)

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8

DOLITSKIY, Y.

Results of scientific research of branch institutes of labor
and welfare. Biul.nauch.inform.trud i sar.plate no.1:9-16
'59. (Production standards) (MIRA 12:4)

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8"

SHUL'TS, Sergey Sergeyevich, doktor geol.-miner. nauk; MOZHAYEV, Boris Nikolayevich; MOZHAYEVA, Valentina Grigor'yevna; RUKOYATKIN, Anatoliy Arkad'yevich; DOLIVO-DOBROVOL'SKIY, Anatoliy Vasil'yevich; PALITSYN, Nikolay Dmitriyevich; PONOMAREV, Yevgeniy Vasil'yevich; SHENGER, I.A., red. izd-va; ZAMARAYEVA, R.A., tekhn. red.

[Sudoma Upland; geological and geomorphological outline]
Sudomskaya vozvysHENnost'; geologo-geomorfologicheskii ocherk.
[By] S.S.Shul'ts.i dr. Moskva, Izd-vo AN SSSR, 1963. 118 p.
[5 fold. diagrs.] (MIRA 16:10)
(Sudoma Upland--Geology)

STULOV, N.N.; SHAFRANOVSKIY, I.I.; MOKIYEVSKIY, V.A.; POPOV, G.M.; BETENKH-TIN, A.G.; NIKOLAYEV, V.A.; ANSHULES, O.M.; GRIGOR'YEV, D.P.; YEROFYEV, B.N.; TATARSKIY, V.B.; SOLOV'YEV, S.P.; NIKITIN, V.D.; RUDENKO, S.A.; DUBININA, V.N.; ALYAVDIN, V.F.; VLADIMIROV, B.N.; KAZITSYN, Yu.V.; FRANK-KAMENETSKY, V.A.; KALININ, A.I.; BALASHOVA, M.N.; SAL'DAU, B.P.; DOLIVO-DOBROVOL'SKAYA, G.M.; LAVRENT'YEV, M.F.

Viktor Ivanovich Milkheev. Zap. Vses. min. ob-vn 86 no.2:317-320
'57. (MLRA 10:6)
(Milkheev, Viktor Ivanovich, 1912-1956)

SHAFRANOVSKIY, I.I., prof. Prinimeli uchast'iye: MOKIYEVSKIY, V.A.; STULOV, N.N.; GENDELEV, S.Sh.; PIS'MENNYY, V.A.; BALASHOVA, M.N.; MIKHEYEVA, I.V.; SAL'DAU, E.P.; KALININ, A.I.; DOLIVO-DOBROVOL'SKAYA, G.M. PIOTROVSKIY, G.L., dotsent, otv.red.; FURMAN, I.P., red.; MALYAVKO, A.V., tekhnred.

[Lectures on the morphology of mineral crystals] Lektsii po kristal-lomorfologii mineralov. L'vov, Izd-vo L'vovskogo univ., 1960.
161 p. (MIRA 14:1)

1. Kafedra kristallografii Leningradskogo gornogo instituta (for Mokiyevskiy, Stulov, Gendelev, Pis'mennyy, Balashova, Mikheyeva, Sal'dau, Kalinin, Dolivo-Dobrovolskaya).
(Minerals) (Crystals)

BOKIY, Georgiy Borisovich; PORAY-KOSHITS, Mikhail Aleksandrovich;
BELOV, N.V., akademik, red.; DOLIVO-DOBROVOL'SKAYA, Ye.M.,
red.

[X-ray structural analysis] Rentgenostrukturnyi analiz. Mo-
skva, Izd-vo Mosk. univ. Vol.I. Izd.2. 1964. 488 p.
(MIRA 17:12)

co-
The disinfection of purified sewage by electrolysis
[A. R. Polyanskaya. *Microbiologiya SSSR*,
6, 498-500 (in English 703-6) (1937).] In the development
of an electrolytic method for the disinfection of
purified sewage 3 methods were used: I with polarized
sept. by a diaphragm; II, polar sept. by a diaphragm,
with H_2 as cathode and the purified sewage as anolyte;
III, same as II, with electrodes interchanged. I gave a
decrease in *Escherichia coli* and a decrease in ammonia N
and E_h . The process takes place at an alk. reaction.
II gave a considerable decrease in *E. coli* and ammonia N
and an increase in E_h . The process occurs at an acyl
reaction. III gave an insignificant decrease in *E. coli*,
an increase in ammonia N and a decrease in E_h , the process
occurring at a strongly alk. reaction. S. A. Karjala

ASA 106 METALLURGICAL LITERATURE CLASSIFICATION

11
22

Bacterial control of sewage on the culture media of Dienert. I., B. Balys-Dolgushishvili. *Mikrobiologija* (U.S.S.R.) 7, 1001-73 (1938); *Chem. Zentral.* 1938, II, 1734; cf. C. A. 32, 38159.—In order to make more complete the methods of bacterial investigation of sewage other media were tested in addn. to the standard media of Endo (I). These were the carbolated media of Rudi (II), the nutrient media of Salle (III), and that of Dienert in different variations (IV). IV (rec. 6% wt. PhH soln per 100 cc. media) was found to be superior to I (at least for Moscow sewage). Inoculation of I on the surface was more satisfactory than deeper inoculation. III was found to be unsuited for bacterial investigation of sewage. W. A. M.

ASG-SLA METALLURGICAL LITERATURE CLASSIFICATION

DOLIVO-DOBROVOL'SKIY, L. B.

PA40T67

PSSR/Medicine - Sewage
Medicine - Bacteriophage Occurrence

Jun 1946

"Bacteriophageology or the Biologic Sewage Purification Processes," L. B. Dolivo-Dobrovolskiy, Scientific Research Dept, Moscow Sewage Disposal Trust, 10 pp

"Microbiologya" Vol IV, No 3, pp 239-48.

Aeration of sewage increases the titers of coliphage. Coliphage is capable of existing under anaerobic conditions and therefore ~~Hallanen's~~ Hallanen's opinion that bacteriophage is unable to exist in the absence of oxygen is erroneous. This is also corroborated by the report of Gildemeister and Herzberg. The fact that coli-

IC
40T67

USSR/Medicine - Sewage (Contd)

Jun 1946

~~thus~~ exists ~~under~~ ~~conditions~~ under which all ~~the~~ enteric flora had perished, confirms the accuracy of the view that bacteriophage is a retrospective indicator of fecal contamination.

DOLIVO-DOBROVOL'SKIY, L.B.

Priority of Russian scientists in certain problems of typhus abdominalis.
Gig. sanit., Moskva no.7:38-(9 July 1953). (CIML 25:1)

1. Of the Scientific-Research Sanitary Institute imeni Erisman.

DOLIVO-DOBROVOL'SKIY, L.B.

AID P - 1497

Subject : USSR/Medicine

Card 1/1 Pub. 37 - 12/19

Author : Dolivo-Dobrovolskiy, L. B., Kand. of Tech. Sci., and
Pavlovskaya, A.I., Scientific Worker

Title : Importance of cross-ventilation in the purification of
air from bacterial pollution in school rooms

Periodical : Gig. i san., 2, 47-49, F 1955.

Abstract : A study of the efficiency of cross-ventilation in schools.
The tests described prove that cross-ventilation must be
introduced in all schools for reducing the bacteria
content of the air. 4 tables.

Institution: Scientific Research Sanitation Institute im. Erössman

Submitted : My 17, 1954

Subject : USSR/Medicine AID P - 2192

Card 1/1 Pub. 37 - 12/19

Authors : Dolivo-Dobrovol'skiy, L. B., Kand. of Tech. Sci. and
Pavlovskaya, A. I., Scientific Worker

Title : Using an albumen preparation from codfish for producing
a culture medium

Periodical : Gig. i san., 5, 49-50, My 1955

Abstract : A preparation worked out by the All-Union Scientific
Research Institute of Fish Economy and Oceanography
is here described. This cod preparation can easily
replace the expensive peptone and is recommended for
sanitary and bacteriological water analyses. Tables.
Four Russian references (1945-1952).

Institution : Scientific Research Sanitation Institute im. Erisman

Submitted : N 12, 1953

DOLIVO - DObROVOL'sKIY, L. B.

USSR/Microbiology - Sanitary Microbiology.

F-3

Abs Jour : Ref Zhur - Biologiya, No 7, 1957, 263-25

Author : Dolivo-Dobrovolskiy, L.B.

Inst : State Scientific Research Institute of Sanitation

Title : Survival of Dysentery Bacteria in Reservoir Water.
Communication 2. Death of Dysentery Bacillus Through
the Process of Reservoir Re-Aeration.

Orig Pub : Inform.-metod. materialy Gos. n.-i. in-ta, 1955, No 3,
14-15

Abst : As the rate of aeration through blowing is increased
(upwards of 0.015 liters of air per 1 liter of water
per minute) and photosynthesis takes place in the water
plants (the tests were made with Elodea and Scenedes-
mum), the death rate of the dysentery bacillus increases.

For Communication 1, see Outlines of Reports and Talks
at the All-Union Scientific Conference on Problems of

Card 1/2

USSR/Microbiology - Sanitary Microbiology.

F-3

Abs Jour : Rej Zhur - Biologiya, No 7, 1957, 26325

Air Hygiene, Water Hygiene, and Sanitary Bacteriology,
Publ. House AMN SSSR, Moscow, 1955, 144-145.

Card 2/2

DOLIVO - DOBROVOL'SKIY, L.B.

USSR/Microbiology - Sanitary Microbiology.

F-3

Abs Jour : Ref Zhur - Biologiya, No 7, 1957, 26326

Author : Dolivo-Dobrovolskiy, L.B., Rosseskaya, V.S.

Inst :

Title : The Problem of the Survival of Dysentery Bacteria in Reservoir Water.

Orig Pub : Gigiena i sanitaria, 1956, No 6, 52-55

Abst : Dysentery bacteria (Flexner, Sonne and Grigoryev-Shig bacilli) perish in stream water within 30 minutes to 4 days during the warm part of the year. Their death rate is the most rapid in polluted water (bacteria count of 2 million per milliliter, colo-titration 0.0001) in which dysentery bacteriophage has been observed prior to pollution. Creation speeds up the death rate eight times not only in stream water but also in a water-supply pipe poor in organic content.

Card 1/1

DOLIVO-DOBROVOL'SKIY, L.B.

"Micro-organisms and self-sterilization of the soil." E.N.Mishustin,
Pertsovskaya, M.I. Reviewed by L.B.Dolivo-Dobrovolskii. Mikro-
biologiya 25 no.4:514-516 Jl-Ag '56. (MIRA 9:10)
(SOILS—BACTERIOLOGY) (SOIL POLLUTION)
(MISHUSTIN, E.N.) (PERTSOVSKAYA, M.I.)

DOLIVO-DOBROVOL'SKII, I.P.

Survival of the dysentery pathogene in bodies of water. Biul. MOIP.
Otd. biol. 61 no.4:108 Jl-Ag '56. (MLRA 10:8)
(SCHIGELLA) (WATER--BACTERIOLOGY)

DOLIVO-DOBROVOL'SKIY, L.B., ZAVEL'SKIY, P.S.

Content of radiopotassium in city sewage [with summary in English]
Med.rnd. 3 no.3:65-68 My-Je '58
(MIRA 11:?)

1. Iz Moskovskogo nauchno-issledovatel'skogo instituta sanitarii
i gigiyeny imeni Erismana,
(SEWAGE,

radiopotassium content in urban sewage (Rus))
(POTASSIUM, radioactive
determ. of content in urban sewage (Rus))

DOLIVO-DOBROVOL'SKIY, L.B., KONSTANTINOV, Yu.P., MUZYKANTOV, R.V.

Deactivating function of biocoenoses in purification systems with
regard to the liquid phase of city sewage containing radioactive
contaminations. Biul. MOIP. Otd. biol. 63 no.4:153-154 Jl-Ag '58
(MIRA 11:11)

(SEWAGE-PURIFICATION)
(RADIOACTIVE WASTE DISPOSAL)

DOLIVO-DOBROVOL'SKIY, L.B.

Effect of reaeration on the survival of dysentery bacteria in bodies
of water. Biul. MOIP. Otd. biol. 64 no.2:53-65 Mr-Ap '59.

(MIRA 12:10)
(*Shigella dysenteriae*) (Water--Aeration)

DOLIVO-DOBROVOL'SKIY, L.B., starshiy nauchnyy sotrudnik; KONSTANTINOV,
Yu.P., mladshiy nauchnyy sotrudnik; MUZYKANTOV, R.V., mladshiy
nauchnyy sotrudnik

Data on the deactivation of municipal sewage at biological
treatment stations; preliminary report. Gig.1 san. 25 no.2;
15-18 p '60.
(MIRA 13:6)

1. Iz Moskovskogo nauchno-issledovatel'skogo instituta sanitarii
i gigiyeny imeni F.F. Brismana Ministerstva zdravookhraneniya
RSFSR.

(RADIOACTIVE WASTE DISPOSAL)

KUL'SKIY, Leonid Adol'fovich; SHEVCHENKO, Marina Aleksandrovna;
KALINICHUK, Yefim Mikhaylovich; DOLIVO-DOBROVOL'SKIY, L.B.,
red.; NIKOLAYEVA, T.A., red. izd-va; RAKITIN, I.T., tekhn. red.

[Methods for improving the odor and taste of drinking water]
Metody uluchsheniia zapakha i vkusa pit'yevoy vody. Moskva, Izd-
vo M-va kommun. khoz. RSFSR, 1961. 98 p. (MIRA 15:1)
(Drinking water)

KUL'SKIY, Leonid Adol'fovich; KALINICHUK, Yefim Mikhaylovich;
DOLIVO-DOBROVOL'SKIY, L.B., red.

[Conditioning of drinking water; removal from water of
phenols and petroleum products] Konditsionirovaniye pi-
t'evoi vody; očistka vody ot fenolov i nefteproduktov.
Moskva, Stroizdat, 1964. 83 p. (NIRA 17:10)

PROCESSES AND PROPERTIES INDEX

Chemical investigation of the amounts of copper-bearing ore in the Duberka-gaashki copper ore and the products of its flotation. V. V. Dolivo-Dobrovolskiy, Inst. Tekhnicheskikh Obrazchii Polzovatel' Stroitel'skikh Materialov (Inn. Makh. Treatment Ores). Repts. on Concentr. of Ores 1929, No. 1, 91-93.—Four samples of a Cu ore composed of bornite and chalcopyrite had an average of total Cu 2.54-14.77, oxidized Cu 0.23-0.72%, Fe 2.41-8.23 and S 1.73-8.80%, or a sulfide average of 5.38-28.79%. Some of the Cu is oxidized in drying operations after the flotation. The ratio of bornite to chalcopyrite Cu in the tailings is lowered with increase in the no. of flotation operations. A typical concentrate contained Cu₂FeS₃ 68.18, CuFeS₂ 4.35, SO₃ 19.72, Al₂O₃ 3.65, Fe₂O₃ 0.61, CaCO₃ 3.94 and MgCO₃ 2.05%. The following flotation media were applied: oil P. O. No. 1 (Naval Store Co.), creosote No. 24 (Naval Store Co.), Na₂CO₃, KCN, Russian pine oil, Russian creosote oil, antifreeze, Ca(OH)₂, sulfurized oils (obtained through the action of H₂S on turpentine, benzene and creosol). A. A. B.

ABSTRACT METALLURGICAL LITERATURE CLASSIFICATION

100M 110M 120M	130M 140M 150M	160M 170M 180M	190M 200M 210M	220M 230M 240M	250M 260M 270M	280M 290M 295M	300M 310M 320M	330M 340M 350M	360M 370M 380M	390M 400M 410M	420M 430M 440M	450M 460M 470M	480M 490M 495M	500M 510M 520M	530M 540M 550M	560M 570M 580M	590M 595M 600M	610M 620M 630M	640M 650M 660M	670M 680M 690M	700M 710M 720M	730M 740M 750M	760M 770M 780M	790M 795M 800M	810M 820M 830M	840M 850M 860M	870M 880M 890M	895M 900M 910M	920M 930M 940M	950M 960M 970M	980M 990M 995M	1000M 1010M 1020M	1030M 1040M 1050M	1060M 1070M 1080M	1090M 1100M 1110M	1120M 1130M 1140M	1150M 1160M 1170M	1180M 1190M 1200M	1210M 1220M 1230M	1240M 1250M 1260M	1270M 1280M 1290M	1300M 1310M 1320M	1330M 1340M 1350M	1360M 1370M 1380M	1390M 1400M 1410M	1420M 1430M 1440M	1450M 1460M 1470M	1480M 1490M 1495M	1500M 1510M 1520M	1530M 1540M 1550M	1560M 1570M 1580M	1590M 1595M 1600M	1610M 1620M 1630M	1640M 1650M 1660M	1670M 1680M 1690M	1700M 1710M 1720M	1730M 1740M 1750M	1760M 1770M 1780M	1790M 1795M 1800M	1810M 1820M 1830M	1840M 1850M 1860M	1870M 1880M 1890M	1895M 1900M 1910M	1920M 1930M 1940M	1950M 1960M 1970M	1980M 1990M 1995M	1999M 2000M 2001M	2002M 2003M 2004M	2005M 2006M 2007M	2008M 2009M 20095M	2010M 2011M 2012M	2013M 2014M 2015M	2016M 2017M 2018M	2019M 2020M 2021M	2022M 2023M 2024M	2025M 2026M 2027M	2028M 2029M 20295M	2030M 2031M 2032M	2033M 2034M 2035M	2036M 2037M 2038M	2039M 2040M 2041M	2042M 2043M 2044M	2045M 2046M 2047M	2048M 2049M 20495M	2050M 2051M 2052M	2053M 2054M 2055M	2056M 2057M 2058M	2059M 2060M 2061M	2062M 2063M 2064M	2065M 2066M 2067M	2068M 2069M 20695M	2070M 2071M 2072M	2073M 2074M 2075M	2076M 2077M 2078M	2079M 20795M 2080M	2081M 2082M 2083M	2084M 2085M 2086M	2087M 2088M 2089M	20895M 2090M 2091M	2092M 2093M 2094M	2095M 2096M 2097M	2098M 2099M 20995M	20999M 21000M 21001M	21002M 21003M 21004M	21005M 21006M 21007M	21008M 21009M 210095M	21010M 21011M 21012M	21013M 21014M 21015M	21016M 21017M 21018M	21019M 21020M 21021M	21022M 21023M 21024M	21025M 21026M 21027M	21028M 21029M 210295M	21030M 21031M 21032M	21033M 21034M 21035M	21036M 21037M 21038M	21039M 21040M 21041M	21042M 21043M 21044M	21045M 21046M 21047M	21048M 21049M 210495M	21050M 21051M 21052M	21053M 21054M 21055M	21056M 21057M 21058M	21059M 21060M 21061M	21062M 21063M 21064M	21065M 21066M 21067M	21068M 21069M 210695M	21070M 21071M 21072M	21073M 21074M 21075M	21076M 21077M 21078M	21079M 210795M 21080M	21081M 21082M 21083M	21084M 21085M 21086M	21087M 21088M 21089M	210895M 21090M 21091M	21092M 21093M 21094M	21095M 21096M 21097M	21098M 21099M 210995M	210999M 211000M 211001M	211002M 211003M 211004M	211005M 211006M 211007M	211008M 211009M 2110095M	211010M 211011M 211012M	211013M 211014M 211015M	211016M 211017M 211018M	211019M 211020M 211021M	211022M 211023M 211024M	211025M 211026M 211027M	211028M 211029M 2110295M	211030M 211031M 211032M	211033M 211034M 211035M	211036M 211037M 211038M	211039M 211040M 211041M	211042M 211043M 211044M	211045M 211046M 211047M	211048M 211049M 2110495M	211050M 211051M 211052M	211053M 211054M 211055M	211056M 211057M 211058M	211059M 211060M 211061M	211062M 211063M 211064M	211065M 211066M 211067M	211068M 211069M 2110695M	211070M 211071M 211072M	211073M 211074M 211075M	211076M 211077M 211078M	211079M 2110795M 211080M	211081M 211082M 211083M	211084M 211085M 211086M	211087M 211088M 211089M	2110895M 211090M 211091M	211092M 211093M 211094M	211095M 211096M 211097M	211098M 211099M 2110995M	2110999M 2111000M 211001M	211002M 211003M 211004M	211005M 211006M 211007M	211008M 211009M 2110095M	211010M 211011M 211012M	211013M 211014M 211015M	211016M 211017M 211018M	211019M 211020M 211021M	211022M 211023M 211024M	211025M 211026M 211027M	211028M 211029M 2110295M	211030M 211031M 211032M	211033M 211034M 211035M	211036M 211037M 211038M	211039M 211040M 211041M	211042M 211043M 211044M	211045M 211046M 211047M	211048M 211049M 2110495M	211050M 211051M 211052M	211053M 211054M 211055M	211056M 211057M 211058M	211059M 211060M 211061M	211062M 211063M 211064M	211065M 211066M 211067M	211068M 211069M 2110695M	211070M 211071M 211072M	211073M 211074M 211075M	211076M 211077M 211078M	211079M 2110795M 211080M	211081M 211082M 211083M	211084M 211085M 211086M	211087M 211088M 211089M	2110895M 211090M 211091M	211092M 211093M 211094M	211095M 211096M 211097M	211098M 211099M 2110995M	2110999M 2111000M 211001M	211002M 211003M 211004M	211005M 211006M 211007M	211008M 211009M 2110095M	211010M 211011M 211012M	211013M 211014M 211015M	211016M 211017M 211018M	211019M 211020M 211021M	211022M 211023M 211024M	211025M 211026M 211027M	211028M 211029M 2110295M	211030M 211031M 211032M	211033M 211034M 211035M	211036M 211037M 211038M	211039M 211040M 211041M	211042M 211043M 211044M	211045M 211046M 211047M	211048M 211049M 2110495M	211050M 211051M 211052M	211053M 211054M 211055M	211056M 211057M 211058M	211059M 211060M 211061M	211062M 211063M 211064M	211065M 211066M 211067M	211068M 211069M 2110695M	211070M 211071M 211072M	211073M 211074M 211075M	211076M 211077M 211078M	211079M 2110795M 211080M	211081M 211082M 211083M	211084M 211085M 211086M	211087M 211088M 211089M	2110895M 211090M 211091M	211092M 211093M 211094M	211095M 211096M 211097M	211098M 211099M 2110995M	2110999M 2111000M 211001M	211002M 211003M 211004M	211005M 211006M 211007M	211008M 211009M 2110095M	211010M 211011M 211012M	211013M 211014M 211015M	211016M 211017M 211018M	211019M 211020M 211021M	211022M 211023M 211024M	211025M 211026M 211027M	211028M 211029M 2110295M	211030M 211031M 211032M	211033M 211034M 211035M	211036M 211037M 211038M	211039M 211040M 211041M	211042M 211043M 211044M	211045M 211046M 211047M	211048M 211049M 2110495M	211050M 211051M 211052M	211053M 211054M 211055M	211056M 211057M 211058M	211059M 211060M 211061M	211062M 211063M 211064M	211065M 211066M 211067M	211068M 211069M 2110695M	211070M 211071M 211072M	211073M 211074M 211075M	211076M 211077M 211078M	211079M 2110795M 211080M	211081M 211082M 211083M	211084M 211085M 211086M	211087M 211088M 211089M	2110895M 211090M 211091M	211092M 211093M 211094M	211095M 211096M 211097M	211098M 211099M 2110995M	2110999M 2111000M 211001M	211002M 211003M 211004M	211005M 211006M 211007M	211008M 211009M 2110095M	211010M 211011M 211012M	211013M 211014M 211015M	211016M 211017M 211018M	211019M 211020M 211021M	211022M 211023M 211024M	211025M 211026M 211027M	211028M 211029M 2110295M	211030M 211031M 211032M	211033M 211034M 211035M	211036M 211037M 211038M	211039M 211040M 211041M	211042M 211043M 211044M	211045M 211046M 211047M	211048M 211049M 2110495M	211050M 211051M 211052M	211053M 211054M 211055M	211056M 211057M 211058M	211059M 211060M 211061M	211062M 211063M 211064M	211065M 211066M 211067M	211068M 211069M 2110695M	211070M 211071M 211072M	211073M 211074M 211075M	211076M 211077M 211078M	211079M 2110795M 211080M	211081M 211082M 211083M	211084M 211085M 211086M	211087M 211088M 211089M	2110895M 211090M 211091M	211092M 211093M 211094M	211095M 211096M 211097M	211098M 211099M 2110995M	2110999M 2111000M 211001M	211002M 211003M 211004M	211005M 211006M 211007M	211008M 211009M 2110095M	211010M 211011M 211012M	211013M 211014M 211015M	211016M 211017M 211018M	211019M 211020M 211021M	211022M 211023M 211024M	211025M 211026M 211027M	211028M 211029M 2110295M	211030M 211031M 211032M	211033M 211034M 211035M	211036M 211037M 211038M	211039M 211040M 211041M	211042M 211043M 211044M	211045M 211046M 211047M	211048M 211049M 2110495M	211050M 211051M 211052M	211053M 211054M 211055M	211056M 211057M 211058M	211059M 211060M 211061M	211062M 211063M 211064M	211065M 211066M 211067M	211068M 211069M 2110695M	211070M 211071M 211072M	211073M 211074M 211075M	211076M 211077M 211078M	211079M 2110795M 211080M	211081M 211082M 211083M	211084M 211085M 211086M	211087M 211088M 211089M	2110895M 211090M 211091M	211092M 211093M 211094M	211095M 211096M 211097M	211098M 211099M 2110995M	2110999M 2111000M 211001M	211002M 211003M 211004M	211005M 211006M 211007M	211008M 211009M 2110095M	211010M 211011M 211012M	211013M 211014M 211015M	211016M 211017M 211018M	211019M 211020M 211021M	211022M 211023M 211024M	211025M 211026M 211027M	211028M 211029M 2110295M	211030M 211031M 211032M	211033M 211034M 211035M	211036M 211037M 211038M	211039M 211040M 211041M	211042M 211043M 211044M	211045M 211046M 211047M	211048M 211049M 2110495M	211050M 211051M 211052M	211053M 211054M 211055M	211056M 211057M 211058M	211059M 211060M 211061M	211062M 211063M 211064M	211065M 211066M 211067M	211068M 211069M 2110695M	211070M 211071M 211072M	211073M 211074M 211075M	211076M 211077M 211078M	211079M 2110795M 211080M	211081M 211082M 211083M	211084M 211085M 211086M	211087M 211088M 211089M	2110895M 211090M 211091M	211092M 211093M 211094M	211095M 211096M 211097M	211098M 211099M 2110995M	2110999M 2111000M 211001M	211002M 211003M 211004M	211005M 211006M 211007M	211008M 211009M 2110095M	211010M 211011M 211012M	211013M 211014M 211015M	211016M 211017M 211018M	211019M 211020M 211021M	211022M 211023M 211024M	211025M 211026M 211027M	211028M 211029M 2110295M	211030M 211031M 211032M	211033M 211034M 211035M	211036M 211037M 211038M	211039M 211040M 211041M	211042M 211043M 211044M	21104

Crystals of magnesium sulfate hexahydrate (hexahydrite). V. V. DOLIVO-DOMBROVSKII. *Mf. issn. russ. mineral.* [2]. 51, 3-53 (1938). *Mineralog. Abhandl.* 4, 378.—In the Saki salt lakes, Crimea, after the evaporation of NaCl, spear-shaped crystals of $MgSO_4 \cdot 7H_2O$ (detd. by analysis), which differ from epsomite in form, separate. Thick, tabular, monoclinic crystals of $MgSO_4 \cdot 6H_2O$ also occur. Optical and crystallographic data on hexahydrite and on artificial $MgSO_4 \cdot 6H_2O$ are given. J. F. SCHAFER

A.I.D.-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000410820017-8"

EQUATIONS AND PREDICTION

Laboratory investigation of the roasting and acid treatment of zinc concentrate from the Bedoskali ore containing by flotation. V. V. Dolivo-Dobrovolski. Inst. Metallurgicheskoi Obrabotki Polimernikh i Neftyanikh Materialov (Inst. Metal. Treatment Poly. Neftey, on Conc. of Ores). 1929, No. 2, 197-300.--The conc. Zn ore contained ZnS 70.20, Pb 4.08, CuFeS₂ 1.28, CdS 0.08, FeS₂ 11.40,

FeS 7.10, Al₂O₃ 1.10, SiO₂ 1.31, MnO 0.11, MgO 0.08, CuCO₃ 8.23 and (As + Sb) 0.02%. The best roasting temp. (under lab. conditions) is 620°, while treatment with 5-10% H₂SO₄ ext. 91.6-93.8% of the Zn. The exptl. procedure is described and the results are tabulated and plotted.

A. A. Bochtingk

ASB-114 METALLURGICAL LITERATURE CLASSIFICATION

E2

Investigation of the refining of zinc obtained by distillation at Alagir. N. P. ARAK, V. Y. DODDRA-BOGDANOVICH and B. F. GRIGOR'YEVICH. *Svedk. i Promst. Metalloved.* No. 5, 1-40 (1950); *Colloid. Metall.* 1950, 40 pp; *Chim. i Indust.* 15, 617-8. — The Zn used contained up to 0.45% Pb, 0.19% Fe and 0.21% Cd; 2 methods of refining were used: liquation and rectista. (1) The best liquation temp. is 460°, the time varies according to the degree of purity of the Zn; the rate of separation of Pb increases with decrease in the Fe content. (2) A second liquation gives no appreciable improvement in the purity of the Zn. (3) By liquation, the Pb content can be reduced to 0.03% and the Fe content to 0.12%. The limiting Pb content is, therefore, lower than that hitherto indicated (1.5-1.7%). (4) No solid soln. of Fe in Zn was observed, the microstructure showed the formation of crystals of Fe₂Zn with Fe contents of 0.01% or over. (5) Rectista can give as low an Fe content as 0.03%, provided all overheating is avoided and the distn. is not carried too far. On continuing the distn. beyond a certain point the purity of the distd. Zn falls off appreciably. (6) It is advantageous to subject the impure Zn first to liquation, and then to redistil it. (7) Cd can be removed only by fractional distn.

A PAPINKAU-COUTURE

ASIA-SEA BIBLIOGRAPHICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 06/13/2000


CIA-RDP86-00513R000410820017-8"

Experiments on the chemical treatment of the lead-zinc ore at the Mal't'yevo deposit. V. V. Dolgov, Dolgovskii inst., Mezhdunarodnii Obshchestvo "Promstal'nia" Tsvetnoy Metallurgicheskoy Akademii (Inst. Metal. Treatment Chem.). *Repts. on Chem. of Ores* 1931, 24-45.—The chemical composition of the above ore, depending on the size of the grain, had the following ranges: Pb 8.85-12.34, Zn 14.07-19.50, Fe 10.05-24.01%. The complete chemical analysis of a fav. sample of the ore was Pb 9.41, Zn 18.70, Cu 0.06, S 0.37, SiO₂ 9.84, Al₂O₃ traces, FeO 2.8, MnO 0.25, CaO 1.43, MgO 0.53, Si 0.22, As 0.75, Sn 0.29 and CO₂ 13.11%. Loss through heating was 18.30% and Au amounted to 1.23 g. per ton and Ag 0.225 kg. per ton of ore. The tailings obtained after flotation contained Pb 2.70, Zn 22.27, Cu 0.22, SiO₂ 10.70, Al₂O₃ traces, Fe₂O₃ 20.74, MnO 0.11, CaO 1.76, MgO 0.30, CO₂ 14.78, losses through heat treatment 20.40, Si 0.20, As 0.64, Sn 0.20%, As 1.0 g. per ton and Ag 0.0765 kg. per ton of ore. A H₂SO₄ treatment of the above tailings yielded 80% of Zn present in the ore, while treatment of the ore gave a yield of up to 91.92%. A. A. B.

ASU SEA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8"



CR

9

Problem of concentration of low-grade nickel ores. V. V. Dugayev, D. Provoloski
Gorno-Obogatitel'nye Dels 1932, No. 2-3, 30-48. - Samples of Khalilov, Yukhev and
Malkak Ni-Fe ores, contg. 0.40-1.34% Ni, 22.64-63.10% FeO₂ and 0.36-0.87% Cr were
treated with 2, 5 and 10% sulfuric acid for periods varying between 1 and 48 hrs.,
also with 5% oxalic acid for periods of 3-24 hrs. Max. extrn. of Ni, up to 94.4%, and
of Fe, up to 84.9%, was obtained by treating Khalilov ore with 10% H₂SO₄ for 12 hrs.
S. L. Madorasky

ABSTRACT METALLURGICAL LITERATURE CLASSIFICATION

BC

B-1-6

Electrolytic of oxidized copper ores for concentration. V. V. Durovo-Demchenko (Gorno-Obogat. Delo, 1913, No. 7-4, 33-47). Differences in the results of electrolysis of apparently similar batches of oxidized Cu ores are due to differences in the ratio of the Cu in the form of free minerals with free surfaces to the Cu combined with the gangue as highly dispersed small grains or in chemical combination with it. The free Cu mineral can be determined by dissolution with KCN.

Cu. Ass.

ABE-5A METALLURGICAL LITERATURE CLASSIFICATION

SUBJECTIVE		CLASSIFICATION	
EDITION	TYPE	NUMBER	CLASS
1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46	47	48
49	50	51	52
53	54	55	56
57	58	59	60
61	62	63	64
65	66	67	68
69	70	71	72
73	74	75	76
77	78	79	80
81	82	83	84
85	86	87	88
89	90	91	92
93	94	95	96
97	98	99	100
101	102	103	104
105	106	107	108
109	110	111	112
113	114	115	116
117	118	119	120
121	122	123	124
125	126	127	128
129	130	131	132
133	134	135	136
137	138	139	140
141	142	143	144
145	146	147	148
149	150	151	152
153	154	155	156
157	158	159	160
161	162	163	164
165	166	167	168
169	170	171	172
173	174	175	176
177	178	179	180
181	182	183	184
185	186	187	188
189	190	191	192
193	194	195	196
197	198	199	200
201	202	203	204
205	206	207	208
209	210	211	212
213	214	215	216
217	218	219	220
221	222	223	224
225	226	227	228
229	230	231	232
233	234	235	236
237	238	239	240
241	242	243	244
245	246	247	248
249	250	251	252
253	254	255	256
257	258	259	260
261	262	263	264
265	266	267	268
269	270	271	272
273	274	275	276
277	278	279	280
281	282	283	284
285	286	287	288
289	290	291	292
293	294	295	296
297	298	299	300
301	302	303	304
305	306	307	308
309	310	311	312
313	314	315	316
317	318	319	320
321	322	323	324
325	326	327	328
329	330	331	332
333	334	335	336
337	338	339	340
341	342	343	344
345	346	347	348
349	350	351	352
353	354	355	356
357	358	359	360
361	362	363	364
365	366	367	368
369	370	371	372
373	374	375	376
377	378	379	380
381	382	383	384
385	386	387	388
389	390	391	392
393	394	395	396
397	398	399	400
401	402	403	404
405	406	407	408
409	410	411	412
413	414	415	416
417	418	419	420
421	422	423	424
425	426	427	428
429	430	431	432
433	434	435	436
437	438	439	440
441	442	443	444
445	446	447	448
449	450	451	452
453	454	455	456
457	458	459	460
461	462	463	464
465	466	467	468
469	470	471	472
473	474	475	476
477	478	479	480
481	482	483	484
485	486	487	488
489	490	491	492
493	494	495	496
497	498	499	500
501	502	503	504
505	506	507	508
509	510	511	512
513	514	515	516
517	518	519	520
521	522	523	524
525	526	527	528
529	530	531	532
533	534	535	536
537	538	539	540
541	542	543	544
545	546	547	548
549	550	551	552
553	554	555	556
557	558	559	560
561	562	563	564
565	566	567	568
569	570	571	572
573	574	575	576
577	578	579	580
581	582	583	584
585	586	587	588
589	590	591	592
593	594	595	596
597	598	599	600
601	602	603	604
605	606	607	608
609	610	611	612
613	614	615	616
617	618	619	620
621	622	623	624
625	626	627	628
629	630	631	632
633	634	635	636
637	638	639	640
641	642	643	644
645	646	647	648
649	650	651	652
653	654	655	656
657	658	659	660
661	662	663	664
665	666	667	668
669	670	671	672
673	674	675	676
677	678	679	680
681	682	683	684
685	686	687	688
689	690	691	692
693	694	695	696
697	698	699	700
701	702	703	704
705	706	707	708
709	710	711	712
713	714	715	716
717	718	719	720
721	722	723	724
725	726	727	728
729	730	731	732
733	734	735	736
737	738	739	740
741	742	743	744
745	746	747	748
749	750	751	752
753	754	755	756
757	758	759	760
761	762	763	764
765	766	767	768
769	770	771	772
773	774	775	776
777	778	779	780
781	782	783	784
785	786	787	788
789	790	791	792
793	794	795	796
797	798	799	800
801	802	803	804
805	806	807	808
809	810	811	812
813	814	815	816
817	818	819	820
821	822	823	824
825	826	827	828
829	830	831	832
833	834	835	836
837	838	839	840
841	842	843	844
845	846	847	848
849	850	851	852
853	854	855	856
857	858	859	860
861	862	863	864
865	866	867	868
869	870	871	872
873	874	875	876
877	878	879	880
881	882	883	884
885	886	887	888
889	890	891	892
893	894	895	896
897	898	899	900
901	902	903	904
905	906	907	908
909	910	911	912
913	914	915	916
917	918	919	920
921	922	923	924
925	926	927	928
929	930	931	932
933	934	935	936
937	938	939	940
941	942	943	944
945	946	947	948
949	950	951	952
953	954	955	956
957	958	959	960
961	962	963	964
965	966	967	968
969	970	971	972
973	974	975	976
977	978	979	980
981	982	983	984
985	986	987	988
989	990	991	992
993	994	995	996
997	998	999	1000

BC

B-1-6

Composition and distribution of mineral compounds in complex copper ores. X. V. Dolivo-Domarevsky, (Gorn.-Otkop.), Dokl., 1933, No. 12, 11-14.—The finely powdered ore is treated with (a) dil. H_2SO_4 and $MgSO_4$, (b) 50-50% (b) KOH solution, followed by dil. H_2SO_4 and H_3PO_4 . The distribution of Ca between solutions and residues gives a complete mineralogical picture of the ore, whence the limits of concn. of an ore by flotation, at a given particle size, can be determined.

ASB-51A METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8"

21

Possibilities and Opportunities

Determination of the free surface of chalcopyrite
V. V. Jeludov-Pobedonostsev. *Ind. Metallurgicheskii Obshchestvo Polzunova-Likepoemskii "Mechanicheskii,"* 13, no. 5,
Sovietistic Ind. Series I, 100-110 (in English 110-111
(1951). - In connection with the problem of flotation and
smelting of sulfide ores, the rate of entry of chalcopyrite in
various reagents was studied. If the rate of soln. and
size of the crude mineral grain are known, the amt. of
free or active surface of chalcopyrite can be defined. Treat-
ment of chalcopyrite with Na₂S₂O₃ in dil. solns. of H₂SO₄
or AgOH and with KCN showed that the atms. of Fe and
Cu dissolved are in the ratio of their at. wts. Repeated
treatment did not show a decrease in the rate of decomposi-
tion of the chalcopyrite. Amt. of dissolved S corresponded
to CuS. Varying concns. of Na₂S₂O₃ and H₂SO₄, between
0.1 and 1.0% did not affect the rate of decompos. of chal-

exptgire appreciably. Change of temp. from 20° to 40° increased the rate of decompos.; between 40° and 90° it remained const. Pyrite and Zn do not affect the rate; therefore this method of detg. free surface of chalcopyrite can be applied to cases where the mineral is included in Cu or Cu-Zn sulfide ores.

S. L. Makhorka

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8"


Methods of crystallographic determination of substances. V. V. Dolivo-Dobrovolskii. *Ann. soviet. anal. phys.-chem., Issled. chern. gorn. (U. S. S. R.)*, 9, 33-60 (1950).—A crit. discussion with about 30 references. Chas. Blanc

2

ANNUAL METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8"



DOLIVO-DOBROVOL'SKIY, Vadim Vladimirovich, 1904- ; KLIMENKO, Yu.V.;
SYROKOMLYTY, V.S., professor, reisenent.

[Phase analysis of ores] Ratsional'nyi analiz rud. Sverdlovsk Gos.
nauchno-tekhn. izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1947.
190 p.
(Ores--Sampling and estimation)

DOLIVO*DOBROVOL'SKIY, V. V.

Crystallography

Several aspects of the principal direction
in twin crystals. Zap. Vses. min. ob. 81
no. 2, 1952

Monthly List of Russian Accessions, Library
of Congress, September 1952. UNCLASSIFIED

DOLIVO-DOBROYOL'SKIY, V.I.V.

A new type of diagram for identifying feldspars. Zap. Vses. min. ob-va 82
no. 2:122-124 '53.
(CA 47 no. 22:12147 '53) (MLRA 6:6)
(Feldspar)

BOGDANOV, O.S., doktor tekhnicheskikh nauk, professor, redaktor; BRAND, V.Yu., kandidat tekhnicheskikh nauk, redaktor; DERKACH, V.G., kandidat tekhnicheskikh nauk, redaktor; DOLIVO-DOBROVOL'SKIY, V.V., doktor tekhnicheskikh nauk, redaktor; ZAKHvatkin, V.V., redaktor; KACHAN, I.N., kandidat tekhnicheskikh nauk, redaktor; OLEVSKIY, V.A., kandidat tekhnicheskikh nauk, redaktor; LOKONOV, M.F., kandidat tekhnicheskikh nauk, redaktor; PARFENOV, A.M., kandidat tekhnicheskikh nauk, redaktor; PODNEM, A.K., redaktor; POLIVANOV, K.Yu., redaktor; FINKEL'SHTEYN, G.I., kandidat tekhnicheskikh nauk, redaktor; FOMIN, Ya.I., kandidat tekhnicheskikh nauk, redaktor; SHINYAKOV, M.I., redaktor; YUDENICH, G.I., doktor tekhnicheskikh nauk, redaktor; BYKOV, G.P., redaktor; YEZDOKOVA, M.L., redaktor izdatel'stva; EVENSON, I.M., tekhnicheskiy redaktor

[Proceedings of the Third Scientific Session of the Institute of Mechanical Processing of Economic Minerals] Trudy III nauchno-tekhnicheskoi sessii instituta Mekhanobr. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1955.
758 p.

(MLRA 10:8)

1. Leningrad. Nauchno-issledovatel'skiy i proyektnyy institut mekhanicheskoy obrabotki poleznykh iskopayemykh
(Ore dressing) (Flotation)

SOV/137-57-11-20791

Translation from: Referativnyy zhurnal, Metallurgiya, 1957, Nr 11, p 22 (USSR)

AUTHOR: Dolivo-Dobrovolskiy, V.V.

TITLE: The Composition of the Zinc Blende of the Degtyarsk Occurrence
(O sostave tsinkovoy obmanki Degtyarskogo mestorozhdeniya)

PERIODICAL: Obogashcheniye rud, 1956, Nr 5, pp 11-15

ABSTRACT: In connection with the elaboration of a flowsheet for dressing the Cu-Zn ores of the Degtyarsk occurrence, particular interest attaches to determination of the contents of isomorphically fixed Fe and highly-disperse inclusions of Cu sulfides in the ZnS of these ores. An investigation is made of the Zn concentrate of the pyrite ore obtained by flotation of a production sample. Experiments are mounted to study the kinetics of ZnS dissolution when Zn concentrate is treated with 20% H₂SO₄ without access of air. The observed regularities of change in the relationships between the quantities of Zn and Fe going into solution result in determining the Fe contents of the isomorphic impurity in the ZnS at 1.63%. In composition, the ZnS of this specimen demands classification as a very dense variety of ZnS, low in iron content. To evaluate the attainable quality of

Card 1/2

SOV/137-57-11-20791

The Composition of the Zinc Blend of the Degtyarsk Occurrence

the Zn concentrate, interest attaches not only to the chemical composition of the ZnS but also determination of the presence in ZnS of highly disperse inclusions of Cu and Fe sulfides which cannot be isolated with even the finest grinding. Experiments in selective dissolution of ZnS from the +20-micron class of Zn concentrate demonstrate the presence of up to 1% Cu in the ZnS in the form of highly disperse inclusions of sulfides of < 5-micron size.

S.M.

Card 2/2

SOV/137-57-11-22762

. Translation from: Referativnyy zhurnal, Metallurgiya, 1957, Nr 11, p 304 (USSR)

AUTHORS: Dolivo-Dobrovolskiy, V. V., Teranova, Ye. T.

TITLE: On the Problem of the Removal of Kerosene in the Purification
of Waste Waters From Flotation Plants of the Non-ferrous Metals
Industry (K voprosu ochistki stochnykh vod flotatsionnykh fabrik
tsvetnoy metallurgii ot kerosina)

PERIODICAL: Obogashcheniye rud, 1956, Nr 6, pp 23-27

ABSTRACT: As the result of a study of various ways of removal of kerosene from waste water the following possibilities were established: the purification to sanitary standards of water containing 3.5 - 4 mg/l of kerosene when the waste water is diluted to 12 - 15 times its volume in the reservoir; the utilization of the process of the sorption of kerosene with freshly precipitated iron hydroxide which has formed in the treatment of the water with iron sulfate and slaked lime and followed by filtration through a sand or slag filter. It is noted that for a 100-mg/l kerosene content in water the consumption of reagents amounts to 70-100 mg/l CaO and 350 - 380 mg/l FeSO₄ · 7H₂O, and the selection thereof in

Card 1/2

SOV/137-57-11-2276.2

On the Problem of the Removal of Kerosene (cont.)

each specific case should be made after taking into account the economic factors and the necessity of using the water, for example, for a recirculation water supply.

Ye. L.

Card 2/2

ALEKSEYEV, I.N.; BOGDANOV, O.S.; BYKOV, O.P.; GROSMAN, L.I.;
~~DOLIVO-DOBROVOL'SKIY, V.V.~~; DERKACH, V.O.

Grigorii Ivanovich IUDENICH; obituary. Gor.shur. no.6:53 Je '56.
(MIRA 9:8)
(IUDENICH, Grigorii Ivanovich, died 1956)

15-57-12-17318
Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 12,
p 94 (USSR)

AUTHOR: Dolivo-Dobrovolskiy, V. V.

TITLE: Corrections for Refraction in Determining the Indicatrix
Axes on the Fedorov Stage (O popravkakh na prelomleniye
pri nakhozhdenii osey indikatrisy na fedorovskom stolike)

PERIODICAL: Zap. Vses. mineralog. o-va, 1957, Vol 86, Nr 1,
pp 28-39

ABSTRACT: In determining the position of optic axis of a uniaxial
crystal by aligning it with the I-axis of the Fedorov
stage (determination of principal section), a correction
for the difference in indices of refraction of a crystal
and of the hemispheres is not necessary for minerals
with N_e below 1.8. It is necessary to introduce a
correction for minerals with a larger index of
refraction; a special nomogram is proposed for finding
this correction. When determining the position of optic
axis of a uniaxial crystal by its alignment with the

Card 1/2

15-57-12-17318

Corrections for Refraction in Determining the Indicatrix (Cont.)

axis of the microscope (determination of the isotropic section), a correction for refraction is introduced according to usual sine formula.

Card 2/2

O. V. Karpova

1. Lenigradskiy gornyy institut.
(Optical measurements) (Crystallography)

Dolivo-Dobrovolskiy, V. V.

USSR / Physical Chemistry - Surface Phenomena, Adsorption,
Chromatography, Ion Interchange.

B-13

Abs Jour : Referat. Zhurnal Khimiya, No.1, 1958, 603.

Author : V.V. Dolivo-Dobrovolskiy, T.A. Rogachevskaya.

Inst : -

Title : Depressing Action of Some High-Molecular Organic Compounds
on Sulfide Minerals.

Orig Pub : Obogashcheniye rud, 1957, No.1, 38 - 40.

Abstract : Laboratory experiments for the study of the depressing
action of a series of high-molecular organic compounds on
the flotation of PbS, ZnS and CuFeS₂ were carried out. It
is shown that starch soluble in water (I) depresses activated
by Cu ions and not activated CuFeS₂ and ZnS in neutral media
and, in a still greater degree, at pH = to 8.5, and does
not depress PbS. It is possible to separate PbS from CuFeS₂
and ZnS by flotation of synthetic mixtures PbS - ZnS -

Card: 1/2

USSR / Physical Chemistry - Surface Phenomena, Adsorption,
Chromatography, Ion Interchange.

B-13

Abs Jour : Referat. Zhurnal Khimiya, No.1, 1958, 603.

Abstract : quartz and PbS - CuFeS₂ - quartz using I. Similar results of PbS separation from other sulfides were obtained replacing I with a cheaper depressor - cereal flour in 0.1 NaOH solution. Slops of sulfite lyes in the amount of 1000 g per ton are a depressor for not-activated ZnS in a neutral medium; PbS is not depressed under these conditions. Contrarily to the studied substances, carboxymethylcellulose does not cause sulfide depression even in the amount of 4000 g per ton.

Card: 2/2

DOLIVO-DOBROVOL'SKIY, V. V.

Maslenitskiy, I. N. and V. V. Dolivo-Dobrovolskiy (Mekhanobr)

"The rendering harmless of waste water from beneficitation plants"

report presented at the 4th Scientific and Technical Session of the Mekhanobr Inst, Leningrad, 15-18 July 1958

AUTHOR: Dolivo-Dobrovolskiy, V. V. SCV/163-58-3-18/49

TITLE: The Removal of the Arsenate Ion From Aqueous Solutions of Low Concentrations (Udaleniye arsenat-iona iz vodnykh rastvorov nizkoy kontsentratsii)


PERIODICAL: Nauchnyye doklady vysshey shkoly. Metallurgiya, 1958, Nr 3, pp 104 - 107 (USSR)

ABSTRACT: The removal of arsenate from washing waters in the processing of copper-nickel was investigated. The arsenate content in the washing water amounts to 10^{-4} - 10^{-3} mol/l. The optimum conditions for removing arsenate are obtained by a reduction of the pH-value of the solutions. At a pH-value of the solution of 7-7,5 the arsenate content reaches a concentration lower than the stipulated sanitary standards. The dependence of the concentration of the arsenate ion on the pH value of the solutions was graphically shown. Arsenate was co-precipitated with iron hydroxide precipitations. The dependence of the residual concentration of the arsenate ion on the concentration of the hydroxyl ion of the final solution is of special importance. The interaction of the

Card 1/3

The Removal of the Arsenate Ion From Aqueous Solutions Sov/103-58-3-18/49
of Low Concentrations

reaction of the iron-arsenate precipitate obtained with the hydroxyl ions in the solution is expressed by the following equation:



Arsenic is obtained from the precipitate in the solution in form of the ions AsO_4^{3-} , HAsO_4^{2-} and H_2AsO_4^- . The experiments carried out to co-precipitate arsenate under the optimum conditions found show that for reaching the sanitary standards it is necessary to take a 2- to 3-fold iron sulfate excess. The washing waters after the purification process at an optimum pH-value are completely free from nickel and cobalt; they are completely retained in the precipitate of iron arsenate. There are 1 figure, 3 tables, and 6 references, which are Soviet.

Card 2/3

The Removal of the Arsenate Ion From Aqueous Solutions
of Low Concentrations SOV/163-58-3-18/49

ASSOCIATION: Leningradskiy gornyy institut (Leningrad Mining Institute)

SUBMITTED: October 1, 1957

Card 3/3

DOLIVO-DOBROVOL'SKIY, V.V.

Optical reactions of the winning axis in studying twins on
the Fedorov stage. Min.sbor. no.12:406-417 '58.
(MIRA 13:2)

1. Gornyy institut imeni G.V.Plechanova, Leningrad.
(Crystallography)

DOLIVO-DOBROVOL'SKII, V.V.

B.S. Levonik's article "Quantitative determination of minerals in ores by the method of determinants". Zap. Vses. min. ob-va 88 no.5:
612 '59. (MIRA 13:2)

(Mineralogy, Determinative)

NIKOLAYEV, Viktor Arsen'yevich; DOLIVO-DOBROVOL'SKIY, Vladimir Vital'yevich; YELISEYEV, I.A., red.; GORCHHOVA, T.A., red. izd-va; GURNOVA, O.A., tekhn. red.

[Fundamentals of the theory of processes of magmatic activity and metamorphism] Osnovy teorii protsessov magmatizma i metamorfizma. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po geologii i okhrana nedr, 1961. 337 p.
(Magma) (Metamorphism (Geology))

DOLIVO-DOBROVOL'SKIY, V.V.

Three-phase curve in the systems "rock-forming silicate-water."
Zap. Vses. min.ob-va 90 no.2:162-167 '61. (MIRA 14:9)
(Phase rule and equilibrium)
(Silicates)

DOLIVO-DOBROVOL'SKIY, V.V., otv. red.; PIASTRO, V.D., red.;
ZHUKOVA, Ye.G., tekhn. red.

[Chemical phase analysis of ores and minerals] Fazovyj khimi-
cheskij analiz rud i mineralov. Leningrad, 1962. 201 p.
(MIRA 15:5)
(Mineralogy, Determinative)

DOLIVO-DOBROVOL'SKIY, V. V.

Beer's stereoconoscopic figures and balls. Zap. Vses. min.
ob-va 91 no.4:433-441 '62. (MIRA 15:10)

(Crystallography, Mathematical)

DOLIVO-DOBROVOL'SKIY, V.V.

Some regularities of the dissolving process of a dispersed
solid. Zap. LGI 42 no.3:3-24 '63.
(MIRA 17:10)

DOLIVO-DOBROVOL'SKIY, V.V., prof.

Using correction coefficients in the mineragraphic determina-
tion of the intergrowth content in comminution and concentra-
tion products. Obog. rud. 8 no. 3:37-40 '63.

(MIRA 17:1)

VORONOV, P.S.; DOLIVO-DOBROVOL'SKIY, V.V.

Geological and geomorphological characteristics of the region
of the Snyder Nunataks on the Knox Coast of East Antarctic.
Zap. LGI 47 no.2:35-48 '64. (MIRA 18:3)

DOLIVO-DOBROVOL'SKII, V.V.

Determining the optical orientation of plagioclase on the Fedorov
universal stage. Zap. Vses. min. ob-va 93 no. 4:390-398 '64
(MIRA 18:2)

DOLIVO-DOBROVOL'SKIY, V.V.

Refraction corrections in finding the axes of indicatrix on the
Fedorov universal stage. Part 2. Zap. Vses. min. ob-va 94 no. 2: 143-
148 '65. (MIRA 18:5)

SOLOV'YEV, S.P.; DOLIVO-DOBROVOL'SKIY, V.V.

Report on the activity of the Mineralogical Society of the
U.S.S.R. for 1964. Zap. Vses. min. ob-va. 94 no.4:486-495 '65.
(MIRA 18:9)

1. Vitse-president Vsesoyuznogo mineralogicheskogo obshchestva
(for Solov'yev). 2. Uchenyy sekretar' Vsesoyuznogo mineralogi-
cheskogo obshchestva (for Dolivo-Dobrovolskiy).

DOLJAK, Branko, ing. (Zagreb)

Transformer oils. Elektrotehnika Hrv 1 no.l-2:18-22 '58.

1. Sef Kemijskog laboratoriјa "Rade Koncar", Zagreb

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8

BOJJKIĆ, N.

"Developers, fixatives, and other photographic chemicals of the Fotokemička Plant."

Fotokemička.

KEMIJA U INDUSTRIJI, Zagreb, Vol 3, No 5, May 1954, p. F17

SC: Eastern European Accessions List, Vol 3, No 10, Oct 1954, Lib. of Congress

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000410820017-8"

DOLJAK, M.; SPLAIT, M.

Silver in the photochemical industry. Fotokemijska. p. 7. KEMIJA U INDUSTRIJI. (Drustvo kemicara-tehnologa NR Hrvatske. Sekcija kemicara) Zagreb. Vol. 5, no. 3, Mar. 1956.

So. East European Accessions List Vol. 5, No. 9 September, 1956